



Elliott Duchon, Superintendent

4850 Pedley Road, Jurupa Valley, CA 92509 T 951.360.4100

Date: April 24, 2020

Re: 19-20-10MO – Roofing – Addendum #4

TO ALL BIDDERS:

The following changes, omissions, and/or additions to the Bid Documents and/or Project Manual and/or Drawings shall apply to proposals made for and to the execution of the various parts of the work affected thereby, and all other conditions shall remain the same. All parties of interest shall take careful note of the addendum so that the proper allowances may be made in strict accordance with the Addendum.

Bidder shall acknowledge receipt of this addendum in the space provided on the Bid Form. Failure to do so may subject Bidder disqualification.

In case of conflict between Drawings, bid documents and this addendum, this addendum shall govern.

ITEM #1 Addition to Bid Specification: Please see attached specifications from Henry Co.

LEARNING WITHOUT LIMITS

Board of Trustees

Silvia Ortega President, Karen Bradford Clerk, Linda Chard, Robert Garcia, Melissa Ragole



April 21, 2020

To: Dana Tolland
Jurupa USD

Re: Addenda to Maintenance Specifications

Item 1: Rubidoux High School

- a. DELETE \$5.00 per sq. shingle Inspection Fee.

- b. ON BUILDINGS 1500,1600,1700, & COVERED WALKWAYS
 1. Apply 1 ½ gals of #294 Base Coat per Sq as specified.
 2. Apply 1 ½ -gals of #988 Silicone white top coat per Sq as specified, Broadcast 20 lbs granules per 100 sq. ft. into wet #988 silicone.
 3. 10 years maintenance warranty of \$8.00 per sq.

All other conditions are per original specifications to remain.

Give me a call if you have any questions. (806) 206-7578

Gideon Brown
Systems Representative