



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp. Inc.
 Contact: Mike Cohn
 Address: 1307 West Sixth Street
 Corona, CA 92882

Analytical Report: Page 1 of 8
 Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
 District-Learning Center

Report Date: 08-Oct-2018

Work Order Number: B8I2839

Received on Ice (Y/N): Yes Temp: 25 °C

Attached is the analytical report for the sample(s) received for your project. Below is a list of the individual sample descriptions with the corresponding laboratory number(s). Also, enclosed is a copy of the Chain of Custody document (if received with your sample(s)). Please note any unused portion of the sample(s) may be responsibly discarded after 30 days from the above report date, unless you have requested otherwise.

Thank you for the opportunity to serve your analytical needs. If you have any questions or concerns regarding this report please contact our client service department.

Sample Identification

<u>Lab Sample #</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Sampled</u>	<u>By</u>	<u>Date Submitted</u>	<u>By</u>
B8I2839-01	H20-001 Lounge 1st Draw	Water	09/22/18 07:02	Michael Cohn	09/24/18 09:55	Michael Cohn
B8I2839-02	H20-002 Lounge 2nd Draw	Water	09/22/18 07:04	Michael Cohn	09/24/18 09:55	Michael Cohn
B8I2839-03	H20-003 Room 1	Water	09/22/18 07:09	Michael Cohn	09/24/18 09:55	Michael Cohn
B8I2839-04	H20-004 Bath Ext Fountain	Water	09/22/18 07:12	Michael Cohn	09/24/18 09:55	Michael Cohn
B8I2839-05	H20-005 Boys Bath Sink	Water	09/22/18 07:15	Michael Cohn	09/24/18 09:55	Michael Cohn
B8I2839-06	H20-006 Girls Bath Sink	Water	09/22/18 07:19	Michael Cohn	09/24/18 09:55	Michael Cohn

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp, Inc.
 Contact: Mike Cohn
 Address: 1307 West Sixth Street
 Corona, CA 92882

Report Date: 08-Oct-2018

Analytical Report: Page 2 of 8
 Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
 District-Learning Center

Work Order Number: B812839

Received on Ice (Y/N): Yes Temp: 25 °C

Laboratory Reference Number

B812839-01

Sample Description

H20-001 Lounge 1st Draw

Matrix
Water

Sampled Date/Time
09/22/18 07:02

Received Date/Time
09/24/18 9:55

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Metals and Metalloids							
Lead	ND	5.0	ug/L	EPA 200.8	10/03/18 15:49	MEL	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.

The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp. Inc.

Contact: Mike Cohn

Address: 1307 West Sixth Street

Corona, CA 92882

Report Date: 08-Oct-2018

Analytical Report: Page 3 of 8

Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
District-Learning Center

Work Order Number: B812839

Received on Ice (Y/N): Yes Temp: 25 °C

Laboratory Reference Number

B812839-02

Sample Description

H20-002 Lounge 2nd Draw

Matrix

Water

Sampled Date/Time

09/22/18 07:04

Received Date/Time

09/24/18 9:55

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Metals and Metalloids Lead	ND	5.0	ug/L	EPA 200.8	10/03/18 16:02	MEL	

mailing

P.O Box 432

Riverside, CA 92502-0432

location

6100 Quail Valley Court

Riverside, CA 92507-0704

P 951 653 3351

F 951 653 1662

www.babcocklabs.com

CA ELAP No. 2698

EPA No. CA00102

NELAP No. OR4035

LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp, Inc.
 Contact: Mike Cohn
 Address: 1307 West Sixth Street
 Corona, CA 92882

Analytical Report: Page 4 of 8
 Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
 District-Learning Center

Report Date: 08-Oct-2018

Work Order Number: B812839

Received on Ice (Y/N): Yes Temp: 25 °C

Laboratory Reference Number

B812839-03

Sample Description

H20-003 Room 1

Matrix

Water

Sampled Date/Time

09/22/18 07:09

Received Date/Time

09/24/18 9:55

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Metals and Metalloids Lead	ND	5.0	ug/L	EPA 200.8	10/03/18 16:04	MEL	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR-4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp, Inc.
 Contact: Mike Cohn
 Address: 1307 West Sixth Street
 Corona, CA 92882

Analytical Report: Page 5 of 8
 Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
 District-Learning Center

Report Date: 08-Oct-2018

Work Order Number: B812839

Received on Ice (Y/N): Yes Temp: 25 °C

Laboratory Reference Number

B812839-04

<u>Sample Description</u>	<u>Matrix</u>	<u>Sampled Date/Time</u>	<u>Received Date/Time</u>
H20-004 Bath Ext Fountain	Water	09/22/18 07:12	09/24/18 9:55

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Metals and Metalloids Lead	ND	5.0	ug/L	EPA 200.8	10/03/18 16:07	MEL	

mailing
 P.O Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp. Inc.
 Contact: Mike Cohn
 Address: 1307 West Sixth Street
 Corona, CA 92882

Analytical Report: Page 6 of 8
 Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
 District-Learning Center

Report Date: 08-Oct-2018

Work Order Number: B812839

Received on Ice (Y/N): Yes Temp: 25 °C

Laboratory Reference Number

B812839-05

Sample Description

H20-005 Boys Bath Sink

Matrix

Water

Sampled Date/Time

09/22/18 07:15

Received Date/Time

09/24/18 9:55

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Metals and Metalloids							
Lead	ND	5.0	ug/L	EPA 200.8	10/03/18 16:10	MEL	

mailing
 P.O. Box 432
 Riverside, CA 92502-0432

location
 6100 Quail Valley Court
 Riverside, CA 92507-0704

P 951 653 3351
 F 951 653 1662
 www.babcocklabs.com

CA ELAP No. 2698
 EPA No. CA00102
 NELAP No. OR4035
 LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp. Inc.
Contact: Mike Cohn
Address: 1307 West Sixth Street
Corona, CA 92882

Analytical Report: Page 7 of 8
Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
District-Learning Center

Report Date: 08-Oct-2018

Work Order Number: B812839

Received on Ice (Y/N): Yes Temp: 25 °C

Laboratory Reference Number

B812839-06

Sample Description

H20-006 Girls Bath Sink

Matrix

Water

Sampled Date/Time

09/22/18 07:19

Received Date/Time

09/24/18 9:55

Analyte(s)	Result	RDL	Units	Method	Analysis Date	Analyst	Flag
Metals and Metalloids Lead	ND	5.0	ug/L	EPA 200.8	10/03/18 16:12	MEL	

mailing
P.O Box 432
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 653 3351
F 951 653 1662
www.babcocklabs.com

CA ELAP No. 2698
EPA No. CA00102
NELAP No. OR4035
LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp, Inc.
Contact: Mike Cohn
Address: 1307 West Sixth Street
Corona, CA 92882

Report Date: 08-Oct-2018

Analytical Report: Page 8 of 8
Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
District-Learning Center

Work Order Number: **B812839**

Received on Ice (Y/N): Yes Temp: 25 °C

Notes and Definitions

- ND: Analyte NOT DETECTED at or above the Method Detection Limit (if MDL is reported), otherwise at or above the Reportable Detection Limit (RDL)
- NR: Not Reported
- RDL: Reportable Detection Limit
- MDL: Method Detection Limit
- * / " " : NELAP does not offer accreditation for this analyte/method/matrix combination

Approval

Enclosed are the analytical results for the submitted sample(s). Babcock Laboratories certify the data presented as part of this report meet the minimum quality standards in the referenced analytical methods. Any exceptions have been noted.

Mary Mazurkiewicz For Cindy A. Waddell

cc:

e-Short_No Alias.rpt

This report applies only to the sample(s) analyzed. As a mutual protection to clients, the public, and Babcock Laboratories, Inc., this report is submitted and accepted for the exclusive use of the Client to whom it is addressed. Interpretation and use of the information contained within this report are the sole responsibility of the Client. Babcock Laboratories, Inc. is not responsible for any misinformation or consequences that may result from misinterpretation or improper use of this report. This report is not to be modified or abbreviated in any way. Additionally, this report is not to be used, in whole or in part, in any advertising or publicity matter without written authorization from Babcock Laboratories, Inc. The liability of Babcock Laboratories, Inc. is limited to the actual cost of the requested analyses, unless otherwise agreed upon in writing. There is no other warranty expressed or implied.

mailing
P.O. Box 432
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 653 3351
F 951 653 1662
www.babcocklabs.com

CA ELAP No. 2698
EPA No. CA00102
NELAP No. OR4035
LACSD No. 10119



BABCOCK Laboratories, Inc.
The Standard of Excellence for Over 100 Years

Client Name: AAA Lead Consultants & Insp, Inc.
Contact: Mike Cohn
Address: 1307 West Sixth Street
Corona, CA 92882

Analytical Report: Page 1 of 1
Project Name: Water Samples / Lead Testing

Project Number: Jurupa Unified School
District-Learning Center

Report Date: 08-Oct-2018

Work Order Number: **B812839**

Received on Ice (Y/N): Yes Temp: 25 °C



BABCOCK

Environmental Laboratories

6100 Quail Valley Court Riverside, CA 92507
(951) 653-3351 • FAX: (951) 653-1662
www.babcocklabs.com

Chain of Custody & Sample Information Record

Client: AAA Lead Consultants and Inspections, Inc. Contact: Michael P. Cohn Fax No. _____
 Phone No. 951-582-9371 email: aaalead@sbclab.net
 Project Name: Jurupa Unified School District Turn Around Time: Routine 72 Hour Rush 48 Hour Rush 24 Hour Rush
 Project Location: Learning Center Lab TAT Approval: By: _____ *Additional Charges Apply
 Additional Report Requests: Include CC Data Package Yes No
 FAX Results Yes No
 Email Results Yes No
 State EDT Yes No
 Include Source Number in Notes

Sample Information	# of Containers & Preservatives						Sample Type	Analysis Requested	Matrix	Notes
	Unpreserved	HCl	HNO ₃	Na ₂ S ₂ O ₈	NaOH	NaOH/Zn Acetate				
H20-001 Lounge 1st Draw						1	Lead		DW	
H20-002 Lounge 2nd Draw						1	Lead		DW	
H20-003 Room 1						1	Lead		DW	
H20-004 Bath Ext Fountain						1	Lead		DW	
H20-005 Boys Bath Sink						1	Lead		DW	
H20-006 Girls Bath Sink						1	Lead		DW	

Signature: Michael Cohn Print Name: Michael Cohn / AAA Lead Date/Time: 9/29/18 9:55
 Signature: [Signature] Print Name: Mysski EJB

Sample Integrity Upon Receipt/Acceptance Criteria


Sample meets laboratory acceptance criteria? Yes No
 Permission to compare: Yes No
 Deviation/Notes: Temp OK per Analyt.
 Signature/Date: [Signature]
 Lab No: B812839
 Collected on Date: SEP 24 2018
 Page 1 of 1

mailing
P.O. Box 432
Riverside, CA 92502-0432

location
6100 Quail Valley Court
Riverside, CA 92507-0704

P 951 653 3351
F 951 653 1662
www.babcocklabs.com

CA ELAP No. 2698
EPA No. CA00102
NELAP No. OR4085
LACSD No. 10119



J.U.S.D
 LEARNING CENTER
 EVACUATION ROUTE
 4041 PACIFIC AVE
OFFICE

Jurupa AVENUE 92509